

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$3 with (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:46
L2	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$3 with (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:47
L3	195	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 same (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:48
L4	14	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:49
L5	1457	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:00

L6	5	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:01
L8	0	("20030156074" or "6801811") and (display\$1 or screen\$1) same usage same (fee or fees or cost\$3 or charg\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:07
L9	0	("20030156074" or "6801811") and (display\$1 or screen\$1) same configuration \$1 and usage same (fee or fees or cost\$3 or charg\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:08
L10	77	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display\$1 same (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:10
L11	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display\$1 same (variety or many or plurality) same configurat\$4 and (power or cost or usage) near5 (metric \$1 or model\$3 or index\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
L12	0	"Ranganathan.in", and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
L13	0	"Ranganathan.in" and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14

L14	339	Panganathan.in. and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:15
L15	2	Panganathan.in. and (energy or display) and configuration same display and usage same (fee or fees or cost\$3 or price\$3 or cost\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16
L16	12818	((@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and power same aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:17
L17	108	((@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and power-aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
L18	16	((@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and power-aware and display with screen\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
L19	0	((@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charge\$3 or price\$3) near5 usage and display \$1 same (variety or many or plurality) same configuration\$4 and (power or cost or usage) near5 (metric\$1 or model\$3 or index\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
L20	0	((@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charge\$3 or price\$3) near5 usage and display \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20

L21	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same usage and display \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20
L22	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same usage and display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:22
L23	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
L24	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same screens same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
L25	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same screen\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
L26	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:24

L27	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
L28	7279	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
L29	393	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
L30	432	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
L31	30	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration\$1 and "705"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:52
L32	6711	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (using or usage or operat\$3) with display\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:02
L33	2481	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (using or usage or operat\$3) near3 display\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03

L34	1014	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and configuration \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03
L35	191	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and display near2 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:04
L36	19	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and display near2 configuration\$1 and "705"/\$S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:05
L37	2804	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:11
L38	34433	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12
L39	28434	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12

L40	16500	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13
L41	10926	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13
L42	547	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
L43	7	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (information or data) and cost with (metric \$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
L44	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (advertisement \$1 or information or data) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:19

L45	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (advertisement\$1 or information or data or billboards) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:22
L46	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near3 (advertisement\$1 or information or data or billboards) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:23
L47	2	"20050240538" and source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:27
L48	24150	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 same (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31
L49	10244	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 same (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31

L50	1668	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) near3 display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:32
L51	3256	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
L52	680	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
L53	390	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:34

L54	66	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:35
L55	2710837	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ aand configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
L56	29	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
L57	37	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:46

L58	37	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:48
L59	61	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and (configur\$6 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:50

12/ 3/ 08 4:52:05 PM